




ICONIC DOORS




**Unlock The
Gateway To Lavish Living.**


DESIGN YOUR SPACE

Our brand was born from a deep passion for the beauty found in steel and glass, coupled with the belief that everyone deserves products of the highest quality. With a focus on the importance of detail, we ensure that the solutions we deliver for your homes, offices, and apartments are crafted with exceptional aesthetics. Supported by two state-of-the-art production facilities, a dedicated powder coating shop, in-house glass processing, and a team of skilled experts, we proudly guarantee the superior quality of our products.


DISCOVER OUR SOLUTIONS




Hinged door




Pivoting door (Pivots)



Sliding door



Folding door



Fixed panels (walls/fixes)

HINGED DOOR

- available in single or double leaf version
- possibility of adding side and upper panels

PIVOTING DOOR (PIVOTS)

- available in single or double leaf version
- possibility of adding side and upper fixed elements

SLIDING DOOR

- available in single or double leaf version
- possibility of adding side and upper fixed elements

FOLDING DOOR

- max. 8 leaves on one side
- possibility of adding side and upper fixed elements




FIXED PANELS (WALLS/FIXES)

- can be combined with a door or constitute a separate element



HINGED DOOR

A slim, sophisticated door frame featuring a black gasket and adjustable hinges, welded to both the leaf frame and door frame. The leaf is designed for single-direction opening. In the double-leaf configuration, the doors include an active leaf and a passive leaf. The passive leaf is fitted with two bolts (upper and lower) housed in black casings, along with a rebate incorporating a black gasket.




PIVOTING DOOR (PIVOTS)

- frameless doors hinges with adjustable closing speed the door
- leaf can be opened in both directions the upper and lower profile
- of the door frame is higher than that of the regular hinged doors
- the handle cannot be installed
-



Installation of the ARGENTA pivot hinge



Cross-section of the hinge for the pivoting doors (Argenta pivot)




SLIDING DOOR

- STANDARD: rail with a steel blende, wall or ceiling mounting
- LOFT: rail with visible decorative wheels, wall mounting
- the leaves are equipped with a silent stop





Floor stabiliser for sliding doors

STANDARD SYSTEM



LOFT SYSTEM



Bi- FOLDING DOOR




FIXED PANELS (WALLS/FIXES)

- no door frame
- made of the sash frame profile
- possibility of joining the panels together



STANDARD ARRANGEMENTS OF BARS



TYPES OF DOOR HANDLES / GRIPS

Orion door handle



Nova door handle



Vertex door handle



Atlas door handle



other colors:
• stainless steel



other colors:
• white
• gold (gloss/matt)
• silver (gloss/matt)



other colors:
• white
• silver matt



other colors:
• gold matt
• silver matt
• brown matt



Luna grip



Helix grip



Echo grip



Loft grip



Secret grip
to sliding door

Note! Grips always come in the same color as the frame. Grips and handles are double-sided.

TYPES OF GLASS

Standardly for our glazing, we use 6mm laminated safety glass (VSG), in two variants: transparent or milky. Our offer includes a wide range of other types of glass and mirrors that will perfectly match your dream door. Should you need a type of glass not included below, simply ask about it. We can arrange it for you!



transparent



milky



grey antisol



brown antisol



wired



black laminated



flutes



cathedral max



lustral D

COLOURS OF FRAMES

Black, white or maybe your favourite one? Products of the Prestige line are painted with the top quality of powder coating used in façade production. The coating is applied using the powder painting method, which provides a hard and durable structure. Apart from the colour base chosen by architects, we can also select a colour from, the international RAL palette.



Black
RAL 9005 (Jet black)



White
RAL 9003 (Signal white)




Charcoal
RAL 7021 (Black grey)




Any colour
for RAL palette
upon request

CREATIVELY COMBINE DESIGNS AND COLOURS –
GET INSPIRED!




ICONIC – TYPES OF BARS

The cross-section of the frame and door leaf with a Viennese bar



The basic type is a Viennese bar with a cross-section of 5x20mm.


The cross-section of the frame and door leaf with a construction bar



For large glazing sizes or on special request, the hinge side can be fitted with a construction bar with dimensions of 20x25 mm.

ICONIC – INSTALLATION GUIDELINES

The installation of the hinged door frame



- ☞ assembly should be performed on the ready, target floor
- ☞ the mounting hole must be even in height and width
- ☞ it is advised to check whether the mounting recess has all the right angles
- ☞ the use of mounting foam is not recommended
- ☞ it is necessary to dowel the frame
- ☞ the optimal place for mounting hinged doors and pivots is the axis of the wall
- ☞ due to the heavy weight of the construction (approx. 30-33 kg / m²) doors must be only fitted with solid materials
- ☞ all elements of the construction must always be transported by two persons, faulty handling may result in damage to the construction

ICONIC SOLUTIONS ARE AN INSPIRATION



Visit us on social media.
GET INSPIRED.



ICONIC DOORS

BESPOKE | HERITAGE | LUXURY

0121 824 7924